In the claims:

Claim 1 cancelled.

- 2. (currently amended) A power tool <u>system</u>, <u>comprising a power tool</u> (14) having a receptacle region (44) for a replaceable rechargeable battery unit (10) for athe power tool, characterized by a coupling unit (16, 48), which is provided <u>on a housing of the power tool (14)</u> for charging the replaceable rechargeable battery unit (10), the replaceable rechargeable battery unit (10) for the power tool, and a coupling unit (12, 50) for charging the replaceable rechargeable battery unit (10) in the mounted state on the power tool (14).
- 3. (currently amended) The power tool (14)system in accordance with claim 2, characterized in that wherein the coupling unit (16, 48) is located in a region oriented toward a tool receptacle region (18).
- 4. (currently amended) The replaceable rechargeable battery unit (10) for a power tool system in accordance with claim 1, characterized by further comprising a covering means (20, 22), which is provided for covering the coupling unit (12, 16, 48, 50).

- 5. (currently amended) The replaceable rechargeable battery unit (10) for a power tool system in accordance with claim 4, characterized in that wherein the covering means (20, 22) is supported movably.
- 6. (currently amended) The replaceable rechargeable battery unit (10) for a power tool system in accordance with claim 4, characterized in that wherein the covering means (20, 22) is kept captive in both its covering position and its release position.
- 7. (currently amended) The replaceable rechargeable battery unit (10) for a power tool system in accordance with claim 5, characterized in that wherein the covering means (20, 22) is provided for automatic motion into its release position upon a coupling operation to a charger (24).
- 8. (currently amended) A charger (24) having at least one coupling unit (26, 28), which is provided for correspondence with a<u>the</u> coupling unit (12, 16) of a<u>the</u> power tool <u>unit (10, 14)(14)and the replaceable rechargeable battery unit (10)</u> in accordance with claim 1.
- 9. (currently amended) The charger (24) in accordance with claim 8, characterized by its embodimentconfigured as a stand for athe power tool (14).

10. (currently amended) The charger (24) in accordance with claim 9, characterized by further comprising a receptacle region (30), into which the power tool (14) is positionable, at least essentially in the machining direction (32) thereof.

11. (currently amended) The charger (24) in accordance with claim 9 or 10, characterized by further comprising at least one receptacle region (34) for a the replaceable rechargeable battery unit (10) for a the power tool.

Claims 12-16 cancelled.